


Next generation compact colour printing

imageRUNNER ADVANCE
C2020L/i
C2030L/i
you can

Introducing the new range of imageRUNNER ADVANCE colour multifunctional devices. Designed to combine exceptional productivity, superb integration with office workflows and outstanding environmental credentials in a small, easy-to-use device.

UP TO 30PPM COLOUR AND MONO
COMPACT DESIGN
ADVANCED WORKFLOW INTERGRATION
5.7" COLOUR TOUCH SCREEN UI
LOW POWER CONSUMPTION
INNER STAPLE FINISHER



Productivity

- Easy-to-use, personalised user interface
- Up to 30ppm output
- Adobe Reader Extensions™ (optional) which allows users to edit PDF files without the need for Adobe Acrobat™ software
- Integrates with office workflow solutions
- Support for genuine Adobe PostScript3*
- Wide range of scalable MEAP applications
- Share functionality installed on other machines

Environmental

- Uses recycled and bio-plastics
- Excellent energy efficiency
- 1.5 watts power consumption in sleep mode – lowest TEC rating in class
- Energy Star certified
- Smallest footprint in class (L models only)

Security

- HDD data erase & encryption*
- Removable HDD*
- Network encryption (IPSec, IEEE802.1x)
- Digitally sign scanned documents
- Compatibility with Adobe Rights Management™
- Integrates with card authentication systems

*i models only

 **imageRUNNER**
ADVANCE

Canon

Specifications: imageRUNNER ADVANCE C2020L/i / C2030L/i

BASIC SPECIFICATIONS	<p>Type Maximum Original Size Copy Sizes Resolution Copy/Print Speed Enlargement/ Reduction First copy time Warm-Up Time Multiple Copies/Prints Duplexing Paper weight Paper Capacity Processor speed Memory Hard Disk Drive Display Interface Network Protocols Power Supply Power Consumption Dimensions (W x D x H) Installation space (W x D) Weight</p>	<p>Console A3 Cassette 1 to 4: A3 to A5R, Free size (Cassettes 1 : 148 x 182mm to 297 x 457mm, Cassettes 2-4 : 140 x 182mm to 305 x 457mm). Stack Bypass: 5RA3 to A5R, Free size (99x140mm - 320 x 457mm) Reading: 600dpi x 600dpi, Copying: 600dpi x 600dpi Printing: 600dpi x 600dpi, 1200dpi x 1200dpi (half speed), 9600dpi (enhancement) x 600 dpi 256 Gradations A4: 30 cpm (iR-ADV C2030L/i), 20 cpm (iR-ADV C2020L/i) A3: 15 cpm (iR-ADV C2030L/i), 15cpm (iR-ADV C2020L/i) A4R: 20cpm (iR-ADV C2030L/i, iR-ADV C2020L/i) A5R: 30 cpm (iR-ADV C2030L/i, 20 cpm (iR-ADV C2020L/i) Zoom: 25 - 400% (Zoom ratio every 1%) BW: 5.9 seconds, CL 8.9 seconds 38 seconds or less 1 to 999 sheets Standard Automatic Cassettes 1: 64 to 120gsm, Cassettes 2-4: 64-163gsm Stack Bypass: 64 to 220gsm Duplex: 64 to 120gsm Standard: 250 sheets + 550 sheets Cassettes (800 sheets) Stack Bypass: 100 sheets, Optional: 550 sheets x 2 Cassettes (1,100 sheets) Max. paper capacity: 2,000 sheets 0.8GHz RAM: 1GB + 1GB (total: 2GB) iR-ADV C2020L/2030L: Flash 4 GB iR-ADV C2020i/2030i: HDD 80GB 5.7" TFT VGA Colour Touchscreen, Ethernet (100Base-T/100Base-TX/10Base-T) Wireless LAN(IEEE802.11b/g (Optional), USB2.0 TCP/IP* (LPD/ Port 9100/ WSD/ IPP/ IPPS/ SMB/ FTP), SMB is supported by only i model, IPX/ SPX (NDS, Bindery), AppleTalk, <i>IPv4/IPv6 support</i> 220-240V, 10A 50/60Hz 1.5 kW Max. L models: 565mm x 650mm x 791 mm i models: 565mm x 600mm x 920mm (with ADF) iR-ADV C2030L / 2020L: 946mm x 1109mm (multi tray + Cassette extended) iR-ADV C2030L / C2020i: 946mm x 1139mm (multi tray + Cassette extended) Printer only: approx. 69kg (L model), 73kg (i model) L model + Platen: approx 78kg, i model + Platen 82kg, L model + ADF: Approx 84kg, i model + ADF 88kg</p>
PRINT SPECIFICATIONS	<p>Page Description Language(s) Resolution Fonts Supported Operating Systems</p>	<p>UFR II (Standard on all models) PCL5/6: (Standard for i models, iR-ADV C2030 /2020i, Optional for L models: iR-ADV C2030L/2020L with Canon PCL Printer Kit-AG1), Adobe PostScript 3 (Optional on all models with Canon PS Printer Kit-AG1) 600dpi x 600dpi, 1200dpi x 1200dpi (half speed), 9600dpi (enhancement) x 600dpi PCL fonts: 93 Roman, 10 Bitmap, 2 OCR, PS fonts: 136 Roman UFR II: Windows 2000/ XP/ Server 2003/ Vista/ Server 2008/ Windows 7/ Server 2008 R2, MAC OS X (10.4.9 or later) PCL: Windows 2000/ XP/ Server 2003/ Vista/ Server 2008 / Windows 7/ Server 2008 R2 PS: Windows 2000/ XP / Server 2003/ Vista/ Server 2008/ Windows 7/ Server 2008 R2, MAC OS X (10.4.9 or later) MAC-PPD: MAC OS 9.1 or later, MAC OS X (10.2.8 or later)</p>
SCAN SPECIFICATIONS	<p>Optional/Standard Scan Speed Scan Resolution Pull Scan</p>	<p>Requires optional Duplex Colour Image Reader Unit-D1 Scan (Single side): A4 30 ipm 600dpi (CL/BW), 44 ipm 300dpi (CL/BW), Scan (Double side): A4 13 ipm 600dpi (CL/BW), 19 ipm 300dpi (CL/BW) 100dpi, 150dpi, 200 x 100dpi, 200dpi, 200 x 400dpi, 300dpi, 400dpi, 600dpi Via Network TWAIN Driver (75 to 600 dpi Black & White and Colour) Pull Scan Supported OS: Windows 2000/ Windows XP/ Windows Server 2003/ Windows Vista/ Windows Server 2008/ Windows 7, (32 bit, 64 bit in compatibility mode)</p>

SEND SPECIFICATIONS	<p>Optional/Standard Destinations Address book File Format Universal Send Feature Sets:</p>	<p>iR-ADV C2030L/2020L: option (it requires Colour Universal Send Kit-R1 and Colour image Reader D1 or D2) iR-ADV C2030i/2020i: standard but requires optional Colour Image Reader Unit-D1 or D2 E-Mail/ Internet FAX (SMTP), PC (SMB, FTP), WebDAV LDAP, Local (Max.1800), iR-ADV address book (64) TIFF, JPEG, PDF, XPS, High compression PDF/XPS, PDF/A-1b, Optimize PDF for Web: only for iR-ADV 2030i/2020i Universal Send Advanced Feature Set-E1 (option): Outline PDF (Trace & Smooth), Searchable PDF/XPS, Reader Extensions PDF Universal Send Security Feature Set-D1 (option): Encrypted PDF, Device Signature PDF/XPS, Universal Send Digital User Signature Kit-C1 (option): User Signature PDF/XPS</p>
DOCUMENT FEEDER	<p>Colour Image Reader Name Paper size Paper weight max. Number of originals Scanning speed (max.) Dimensions (WxDxH) Weight</p>	<p>Duplex Color Image Reader Unit-D1 (Optional) A3, A4, A4R, A5, A5R Single sided original: 42-128gsm Double sided original: 50 to 128 gsm (Colour original - 64-128gsm) 50 sheets (80 gsm) Copy (single side): A4 30 ipm 600dpi (Colour/B&W) Scan (Single side): A4 44 ipm 300dpi (Colour/B&W) Copy (Double side): A4 13 ipm 600dpi (Colour/B&W) Scan (Double side): A4 19 ipm 300dpi (Colour/B&W) 565mm x 540mm x 140mm approx. 7.9kg</p>
PAPER SUPPLY OPTIONS	<p>Cassettes Feeding unit Paper size: Paper Weight: Paper Capacity: Dimensions (WxDxH): Weight:</p>	<p>Cassettes Feeding unit-AF1 A3 to A5R, Free size (140 x 182mm to 305 x 457mm) 64-163gsm 550 sheets (80gsm) 565 x 650 x 248mm Approx. 27.5kg</p>
OUTPUT OPTIONS	<p>Staple Finisher Number of Trays Paper Weight Staple Position Staple Capacity Dimensions (WxDxH) Option Tray Weight</p>	<p>Inner Finisher - C1 One stack tray (Optional 2nd tray: Inner Finisher Additional Tray-A1) Standard tray capacity: A4: 750 sheets, A3/A4R: 500 sheets, Option tray capacity: A4/A3/A4R: 100 sheets 64 to 220gsm Corner, Double A4: 50 sheets, A3/A4R: 30 sheets 700 x 540 x 260mm 207 x 450 x 57mm Approx. 12.5kg/1.4kg (included tray option)</p>
ADDITIONAL OPTIONS	<p>Stamp Ink Cartridge-C, ADF Access Handle-A1, Color Image Reader Unit-D2, Printer Cover-D1, Data Erase Kit-C1, HDD Data Encryption Kit-C3, Wireless LAN Board-B2, Removable HDD Kit-AE1, Expansion Bus-F2, IPsec Board-B2, ACCESS MANAGEMENT SYSTEM KIT-B1, Web Access Software-H1, PCL Printer Kit-AG1, PS Printer Kit-AG1, Direct Print Kit (for PDF/XPS)-H1, Barcode Printing Kit-D1, Super G3 FAX Board-AH1, Super G3 2nd Line FAX Board-AH1, Remote Fax Kit-A1, Envelope Feeder, Attachment-D1, 3 Way Unit-C1, Utility Tray-A2, Staple-J1 Copy Tray-J1, Inner 2way Tray-F1, Remote Operators, Software Kit-B1, Voice Guidance Kit-F2, Voice Operation Kit-C2, USB Device Port-C1, Multimedia Reader/Writer-A2, Copy Card Reader Attachment-B2, Card Reader-C1</p>	
<p>Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. This leaflet and the specifications of the product have been developed prior to the date of product launch. Final are subject to change without notice.™ and ®. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.</p> <p>Canon recommends you use Canon Media for the best results. Please check media (paper) compatibility list to see which variety of paper/media is recommended.</p>		